

# Index

**Note:** \* indicates the term also appears in the Glossary (Annex I). Page numbers in italics denote tables, figures and boxed material; page numbers for boxed material are followed by B. Page numbers in bold indicate page spans for entire chapters.

8.2 ka event\*, 455, 456, 463-464

## A

**Abrupt climate change\***, 57, 106-107, 435-436, 454-457, 463-464  
defined, 775B, 818  
modelling, 640-643  
projections, 775-777B, 818-819

**ACE index**, 304, 305B, 312B

**Advection\***, 355, 356, 528

**Aerosols**, 29-30, 106, 131-132, 135-136, 153-180  
aviation aerosols, 188, 561  
climatic factors, 557-558  
couplings and feedbacks, 78-79, 504, 555-566  
direct effect, 153, 154, 159-160, 168-171, 201, 203-204  
direct radiative effect, 157-158  
glaciation effect, 558, 559, 560-561  
indirect effects\*, 30, 153-154, 504, 558, 559-563, 565-566  
modelling, 159-160, 562-563, 564, 565, 607  
natural, 555-558, 559  
precipitation effects, 254, 560, 563, 564  
projections, 78-79, 755-757, 760, 796-797  
radiative forcing, 29-30, 153-180, 198-200, 559  
satellite and surface-based observations, 154-159  
semi-direct effect, 154, 555, 558, 559, 565  
thermodynamic effect, 558, 559  
total aerosol optical depth, 29  
total anthropogenic effect, 562-563, 564-565  
volcanic aerosols, 193-195, 201, 478  
*See also specific aerosols*

**Afforestation\***, 528

**Africa**. *See* Climate projections

**Air quality**, 28, 79, 502, 540B, 566-567

**Aircraft/aviation**, 30, 186-188  
aviation aerosols, 188, 561  
contrails/induced cloudiness, 30, 132, 186-188, 201, 203-205

**Albedo\***, 30, 110, 180-186, 508  
cloud albedo effect, 30, 132, 153-154, 171-180, 201, 203-205, 558, 559-563  
cryospheric-albedo feedback, 110  
ice-albedo feedback, 97  
snow, 30, 184-185, 205, 343  
snow-albedo feedback, 343, 638-639, 640

surface albedo, 30, 132, 180-186, 201, 203-205  
surface albedo feedback, 593, 638-639

**Albrecht effect**. *See* Cloud lifetime effect, under Clouds

**Altimetry\***, 49, 361, 408, 410, 411-412, 431

**Ammonia (NH<sub>3</sub>)**, 544-546

**Annular modes\***, 38-40, 64, 112, 238-239, 286-295, 287B, 620-621, 780-782

**Antarctic Circumpolar Current (ACC)**, 401-402, 765

**Antarctic Circumpolar Wave (ACW)**, 294-295

**Antarctic Oscillation (AAO)**, 777B, 782

**Antarctic region**  
climate projections, 904, 907-909  
ice sheet (*see* Ice sheets)  
oceans, 401-402, 420  
sea ice, 342, 351, 352, 353, 355

**Arctic Ocean**, 398, 906

**Arctic Oscillation (AO)**, 777B, 780

**Arctic region**  
climate projections, 902-907  
sea ice, 44, 45, 60, 317, 339, 342, 351-356, 716, 776B, 851

**Asia**. *See* Climate projections

**Atlantic Multi-decadal Oscillation (AMO)\***, 245-246, 293-294

**Atlantic Multi-decadal Variability**, 623

**Atlantic Ocean**, 394-399  
hurricanes, 306-312  
past variability, 482  
salinity, 387, 393, 394-399, 420  
sea level change, 413  
temperature, 237, 247, 387, 392, 395, 398-399, 420

**Atmospheric climate change**, 35-43, 82, 235-336  
circulation, 38, 280-295, 287B, 318, 709-712, 770  
free atmosphere\*, 265-280, 317, 699-701, 730  
teleconnections, 38-40, 238, 286-295  
temperature of upper air, 36, 37, 237, 265-271, 699-701  
*See also* Surface climate change

**Atmospheric constituents, 129-234**  
aerosols, 29-30, 131-132, 153-180  
chemically and radiatively important gases, 24-28, 131, 137-153, 539-555  
contrails and aircraft-induced cloudiness, 30, 132, 186-187, 186-188, 201, 203-205  
couplings and feedbacks, 504, 539-555

modelling, 603

*See also specific constituents*

**Atmospheric modelling**, 597-599, 602-603, 608-613, 623, 646-647

**Attribution of climate change**. *See* Detection and attribution of climate change

**Australia**. *See* Climate projections

**Aviation**. *See* Aircraft/aviation

## B

**Bayesian methods\***, 726, 744-745, 810

**Biogeochemistry**, 108-110  
couplings and feedbacks (*see* Climate system couplings)  
modelling, 642-643  
oceanic, 48, 387, 389, 403-408  
projections, 789-811

**Biomass burning**, 29, 132, 164, 165-167, 204, 501-502

**Black carbon\***, 30, 132, 163-165, 184-185, 205, 565, 566  
aviation-associated, 561  
projections, 760, 796

**Blocking**, 282, 285, 623

## C

**Carbon**  
dissolved inorganic carbon (DIC), 387, 403-405, 408, 514, 529-530, 532  
global budget, 26, 516, 517-526, 522-523, 525  
isotopes, 139, 439, 446B, 452, 460, 476, 519  
modelling, 618  
oceanic, 387, 403-406, 420, 528-533, 529B  
organic, fossil fuel, 29, 132, 161-163, 204-205  
organic, natural, 556-557  
*See also* Black carbon

**Carbon cycle\***, 26-27, 501, 511-539  
biological pumps, 528-530  
couplings and feedbacks, 77-80, 501, 511-539, 534, 566  
interannual changes, 523-524, 525  
marine, 403-406, 408, 437, 528-533, 529B, 534, 793  
modelling, 481, 533-539, 591, 604-605, 618  
overview, 511-517  
palaeoclimate, 437, 442, 443, 446B, 452, 460  
projections, 750, 777B, 789-793, 823-825

- regional fluxes, 521-523  
sources and sinks, 513, 519-521, 527-531, 604-605, 777B  
terrestrial processes and  
  feedbacks, 526-528  
top-down/bottom-up views, 521-522
- Carbon dioxide (CO<sub>2</sub>)\***, 24-27, 77-80, 115, 135, 137-140, 511-515  
air-sea fluxes, 403, 404  
atmospheric concentration, 24-27, 131, 137-140, 141, 146, 511, 515, 516, 517  
buffering (Revelle factor), 531  
in carbon cycle, 501, 511-517  
couplings and feedbacks, 77-80, 501, 511-539  
dissolved in oceans, 387, 402-406, 408  
fertilization\*, 185-186, 526-527, 605  
global warming potential, 211, 212  
growth rate, 26, 523-526, 790  
increase in industrial era, 97, 100, 105-106, 512  
palaeoclimate, 54-57, 435-437, 440-450, 446B, 452-453, 455-456, 459-460, 465, 481  
projections, 77-80, 789-811, 822-828  
radiative forcing, 25, 131, 136, 137-140, 141, 185-186, 205, 207, 212
- Carbon monoxide (CO)**, 205, 207, 214, 549, 793-794
- Carbon tetrachloride (CCl<sub>4</sub>)**, 141, 145, 146, 212
- Carbonate (CO<sub>3</sub><sup>2-</sup>)**, 77, 387, 406, 421, 442, 443, 446B, 460, 530, 532  
buffer system, 529B, 530  
projections, 77, 793, 794
- Caribbean region**, 909-917
- Central and South America**. *See*  
  Climate projections
- Chlorofluorocarbons (CFCs)**, 28, 100, 105-106, 141, 145, 146  
CFC-11, 28, 100, 145, 420  
industrial era increase, 512, 513  
as oceanic tracers, 100, 404, 406, 420  
radiative forcing, 131, 141, 207, 212
- Circulation**  
atmospheric, 38, 64, 238-239, 280-295, 318, 565-566, 709-712, 731, 770  
indices, 287B, 294-295  
modelling, 615-616  
oceanic, 48, 111-112, 387, 394-402, 417, 420  
projections, 770, 777B, 780-782
- Climate\***  
defined, 104  
factors determining, 96-97  
human and natural drivers, summarized, 21-35, 81  
weather and, 104-105
- Climate change\***, 35-58, 663-746  
atmospheric (*see* Atmospheric climate change)
- commitment (*see* Climate change commitment)  
concept, 667-670, 678  
consistency across observations, 51-54, 239, 317-318  
cryospheric (*see* Snow, ice and frozen ground)  
current, compared to palaeoclimate changes, 436-437, 465  
defined, 667  
detection and attribution (*see* Detection and attribution of climate change)  
irreversible, 775-777B  
last 1,000 years, 680-683  
last 2,000 years, 436, 466-483, 468-469B  
long-term, 822-831  
mechanisms, 96, 449  
observations, summarized, 35-58  
oceanic (*see* Oceanic climate change)  
relationship to weather, 104-105  
robust findings and key uncertainties, 81-91  
surface (*see* Surface climate change)  
variability (*see* Climate variability)  
*See also* Climate change science
- Climate change commitment\***, 68-69, 68B, 78, 79-80, 749, 753, 761, 822-831  
commitment to year 2300, 822-827  
commitment to year 3000 and beyond, 823-827  
constant composition commitment scenarios, 753, 822-823  
constant emission commitment scenarios, 822  
overshoot scenarios, 753, 827-828  
sea level, 68, 80, 752, 822, 828-831  
stabilisation scenarios, 753, 791-793  
temperature, 79, 752, 822-828  
zero emission commitment scenarios, 753, 822, 825
- Climate change science, 93-127**  
IPCC history and assessments, 95, 118-121  
nature of earth science, 95-99  
progress in climate modelling, 112-118  
progress in detection and attribution, 100-103  
progress in understanding climate processes, 103-112
- Climate feedbacks\***. *See* Feedbacks
- Climate forcing**. *See* Radiative forcing
- Climate models\***, 589-662, 669-670  
abrupt climate change, 640-643  
advances in, 112-118, 591-593, 596-608  
Atmosphere-Ocean General Circulation Models (AOGCMs), 59-60B, 66-67, 591-592, 596-608, 761, 797-831, 852-861, 918  
Atmosphere-only GCMs (AGCMs), 918-919  
C<sup>4</sup>MIP, 533-539, 618, 789-790
- changes in performance, 618-619  
climate sensitivity and feedbacks, 592, 629-640  
climate variability, 591, 592, 620-627  
confidence in, 591, 600-601, 639-640, 668  
construction of, 596  
contemporary climate, 608-619  
coupled models, 117-118, 481, 532-539, 607, 608-627  
downscaling\*, 74, 601, 865, 919-921, 925  
Earth System Models of Intermediate Complexity (EMICs), 67, 77, 78, 591-592, 643-645, 646-647, 797, 801-802, 823-827, 828  
evaluation, 87, 591, 594-596  
evolution, 98, 99, 112-114  
extremes, 627-629  
flux adjustments\*, 117, 591, 597-599, 607-608, 646-647  
General Circulation Models (GCMs), 114-116, 208, 629-633, 925  
hierarchies, 67, 112-114, 797-800  
initialisation, 607-608  
intercomparison, 510  
large-scale variability, 591-592, 620-627  
multi-model data set (MMD), 597-599, 753-754, 858-860B  
nested regional climate models, 919  
resolution, 113-114, 591, 797-800  
shorter-term predictions, 626-627  
simple climate models, 643-647, 797, 802-804, 844  
thresholds, 640-643  
*See also* specific topics and processes
- Climate predictions\***, 626-627, 643  
*See also* Climate projections
- Climate projections\***, 66-80, 87-91, 747-940  
about, 753-754, 852-865  
Africa, 850, 854, 866-872  
Asia, 850, 855, 879-887  
Australia and New Zealand, 850, 856, 896-902, 916B  
biogeochemical feedbacks, 77-79, 789-811  
Central and South America, 850, 856, 892-896  
change in the 21st century, 69-76, 764-766  
emissions, concentrations and radiative forcing, 25, 755-760  
ensemble projections\*, 754, 755-760, 766-767, 805-811, 852-861  
Europe and the Mediterranean, 850, 854, 872-879, 917B  
extremes, 782-789, 854-857, 862-864, 916-917B  
global projections, 69-74, 89, 747-845  
greenhouse gases, 25, 755-760  
hierarchy of models, 797-800  
islands, small, 850, 857, 909-915

- long term change and commitment, 79-80, 749, 822-831  
 methods, 844-845, 917-925  
 North America, 850, 855-856, 887-892  
 ocean acidification, 793, 794-795  
 physical climate system, 760-789  
 polar regions, 850, 857, 902-909  
 probabilistic projections, 807-809, 810-811, 921-925  
 quantifying, 797-811, 921-925  
 range of projections, 74-76, 91, **847-940**  
 sea level, 68, 70-71, 73, 90, 774, 812-822, 823, 828-831, 844-845, 909, 914-915, *916-917B*  
 summary, 749-752, 849-851, *858-860B*  
 temperature, 69-72, 74-76, 762, 763, 764-766  
 uncertainty, 797-800, 805-811
- Climate scenarios\***, 753, 791-793, 802-804, 822-831  
*See also* SRES scenarios
- Climate sensitivity\***, 64-66, 88, 114-116, 754, 825-827  
 climate models, 593, 629-640, *632B*  
 cumulative distributions, 65  
 defined, 629-630  
 equilibrium climate sensitivity (ECS), 64-65, 88, 718-727, 754, *798-799B*, 825-827  
 estimation methods, 718-719  
 instrumental observations, 719-723  
 key physical processes, 633-637  
 observational constraints, 718-727, 807-808  
 palaeoclimate data, 481, 724-725  
 probability density functions (PDFs), 65, 719-721, 724-725, *798-799B*, 808-809, 923-924  
 transient climate response (TCR), 66, 88, 691, 718, 723, 724, 725, 754, *798B*, 800-801, 807
- 'Climate surprises'**, *775-777B*
- Climate system\***, 96-97
- Climate system couplings**, 77-80, **499-587**, 789-811  
 aerosols, 78-79, 502, 555-566  
 atmosphere dynamics, 504, 555  
 carbon cycle, 77, 501, 511-539, 566  
 land climate system, 504-511, *505B*  
 land surface, 501  
 modelling, *597-599*, 629-640, *646-647*, 754, 765  
 projections, 77-80, 789-811  
 reactive gases, 501-502, 539-555, *540B*  
 scales, 505-507, 566
- Climate variability\***, 667, 668-669, 702-703, 864  
 modelling, 591-592, 620-627, 686  
 modes of\*, 286-295, *287B*, 463, 667-668, *778-782*, *867B*  
 patterns of\*, 38-40, *39B*, *867B*
- Clouds**, 40-41, 97, 238, 275-277  
 aerosol effects, 30, 153-154, 558, 559-564, 565, 566, 676-677  
 aviation-induced cloudiness, 30, 132, 186-188, *201*, *203-205*  
 cloud albedo effect, 30, 153-154, 171-180, *201*, *203-205*, 558, 559-563  
 cloud condensation nuclei (CCN)\*, *154*, 171, 504, 555, 559  
 cloud lifetime effect, 153, *154*, 171, 555, *558*, 559-560, 563  
 couplings and feedbacks, 502, 558, 559-563, 635-638, 640  
 modelling, 114-116, 593, 635-638, 640  
 projections, 766-768  
 radiative forcing (CRF)\*, 173-178, 180, 502, 635, 637-638, 767-768
- Coastal zone climate change**, *916-917B*
- Cold Ocean-Warm Land (COWL) pattern**, 622-623
- Commitment**. *See* Climate change commitment
- Confidence\***, 22-23*B*, 81-91, *120-121B*
- Contrails**, 30, 132, 186-187, *201*, *203-205*
- Cosmic rays**, 31, 132, *202*, 476
- Coupled models**, 117-118, 481, 532-539, 607, 608-627
- Couplings**. *See* Climate system couplings
- Cryosphere\***, 43-46, 110, **337-383**, 716-717, *732*  
 area, volume, and sea level equivalents, 340, *342*, 361, *374*  
 components, 341-343  
 feedbacks, 110, 593, 638-639  
 modelling, 111, 593, 606-607, 638-639  
*See also* Snow, ice and frozen ground
- Cyclones**  
 extratropical, 312-313, 316, 712, 788-789  
 modelling, 591, 613, 628  
 projections, 74, 751, 786-788, *864*, 915  
 tropical, 41-43, 239, 304-307, *305B*, *314*, 316, 711-712, 751, 786-788, *864*, 915
- D**
- Dansgaard-Oeschger (DO) events\***, 106-107, 111, 455, 456-457
- Deforestation\***, 512, 517-518, 520-521, 527-528
- Detection and attribution of climate change\***, 52, 58-66, 81-86, 135-136, **663-746**  
 carbon cycle perturbations, 512-515  
 greenhouse gas increase, 60, 501-502, 512-513  
 industrial era, air temperature, 683-705, *727*, *729-730*  
 industrial era, other variables, 705-718, *730-732*  
 introduction/concepts, 667-670  
 observational constraints, 718-727
- observations, summarized, 35-58  
 pre-industrial, 673, 679-683  
 progress in, 100-103  
 radiative forcing and climate response, 31, 131, 670-679  
 robust findings and key uncertainties, 81-91  
 statistical methods, 744-745  
 variability, 667, 668-669, 702-703  
*See also* Palaeoclimate
- Dimethyl sulphide (DMS)**, 78, 557
- Dimethylether (CH<sub>3</sub>OCH<sub>3</sub>)**, *213*
- Dimming**. *See* 'Global dimming'
- Diurnal temperature range (DTR)**. *See* Temperature
- Downscaling\***, 74, 601, 865, 919-921, 925
- Droughts\***, 254, 260-265, *261B*, 308, *310-311B*, *315*, 715-716  
 defined, *314*  
 palaeoclimate, 435, 437, 482-483  
 projections, *732*, 750, 783, *859B*, *863*  
 summary, 43, 54, 238, 317, 318, 435
- Dust**, 29, 78, 159, 502, 555-556, 797  
 mineral dust aerosol, 29, 132, 167-168, *204-205*
- E**
- El Niño**. *See* El Niño Southern Oscillation
- El Niño Southern Oscillation (ENSO)\***, 111-112, 245-246, 287-288, 295, 709  
 cyclones and, 305-306, *305B*, 308  
 modelling, 592, 601, 623-625  
 monsoons and, 296-297, *305B*, 780  
 palaeoclimate, 437, 464, 481-482  
 projections, 751, *779-780*  
 summary, 38, *39B*, 238
- Emissions scenarios\***. *See* SRES scenarios
- Energy balance\***  
 changes, 392-393, 727-728  
 mean, 96-97  
 modelling, 608  
 radiation, 277-280  
 surface energy and water balance, 35, *505B*  
 surface energy budget, 180-186
- Equilibrium climate sensitivity (ECS)**, 64-65, 88, 718-727, 754, *798-799B*, 825-827
- Europe and the Mediterranean**. *See* Climate projections
- Evapotranspiration\***, 238, 260, *261B*, *279B*, 507, 769
- Extreme events\***, 299-316, 696  
 extratropical storms, 312-313, *314-315*, 316  
 modelling, 300-303, 627-629  
 precipitation, 41, 301-303, 308, *314-315*, 316, 714, 782-784, *785*  
 projections, 52, 73, 750, 782-789, 849-851, *854-857*, *862-864*, *916-917B*  
 recent events, *310-311B*

regional (*see* Climate projections)  
 sea level, 51, 414, *916-917B*  
 severe local weather, 316  
 summary, 40, 41, 51, 52, *53B*, 237, 591  
 temperature, 40, 237, 300-301,  
   302, 308-309, *311-312B*,  
   314-315, 316, 698-699,  
   750, 785-786, 787  
 tropical storms, 304-312, *305B*,  
   314-315, 316

## F

**Faculae\***, 107, 108, 188, 189, *190*

### FAQs

Are extreme events, like heat waves,  
 droughts or floods, expected  
 to change as the Earth's  
 climate changes?, 783

Are the increases in atmospheric  
 carbon dioxide and other  
 greenhouse gases during  
 the industrial era caused by  
 human activities?, 512-513

Can individual extreme events be  
 explained by greenhouse  
 warming?, 696

Can the warming of the 20th century  
 be explained by natural  
 variability?, 702-703

Do projected changes in climate vary  
 from region to region?, 865

Has there been a change in extreme  
 events like heat waves,  
 droughts, floods and  
 hurricanes?, 308-309

How are temperatures on Earth  
 changing?, 252-253

How do human activities contribute  
 to climate change?, 135-136

How is precipitation changing?,  
 262-263

How likely are major or abrupt climate  
 changes, such as loss of ice  
 sheets or changes in global  
 ocean circulation?, 818-819

How reliable are the models used to  
 make projections of future  
 climate change?, 600-601

If emissions of greenhouse gases are  
 reduced, how quickly do  
 their concentrations in the  
 atmosphere decrease?, 824-825

Is sea level rising?, 409

Is the amount of snow and ice on the  
 Earth decreasing?, 376-377

Is the current climate change unusual  
 compared to earlier changes  
 in Earth's history?, 465

What caused the ice ages and  
 pre-industrial climate  
 changes?, 449-450

What factors determine Earth's  
 climate?, 96-97

What is radiative forcing?, 136  
 What is the greenhouse effect?, 115-116  
 What is the relationship between climate  
 change and weather?, 104-105

### Feedbacks\*, 77-80, 97, 499-587

carbon cycle, 501, 511-539, *534*,  
   566, 789-793, 823-825  
 climate-vegetation, 452, 789-793  
 cryospheric, 110, 593, 638-639  
 modelling, 593, 605-606,  
   629-640, *632B*  
 permafrost-climate, 110  
 projections, 77-80, 789-811  
 snow-albedo, 343, 593, 638-639, 640  
 water vapour, 593, 630-633, *632B*  
 water vapour-lapse rate, 633-635, 640  
*See also* Climate system couplings

### Fingerprints\*, 100, 668

**Fires**, 501, 527

**Floods**, *311B*, 783, 784

**Fluorinated ethers (HFEs)**, 213

**Forcing**. *See* Radiative forcing

**Forests\***, 517-518, 520-521, 527-528

**Fossil fuel emissions\***, 25-29, 138-140, 145,  
 160-165, *204-205*, 511-518, *546*

**Frequently Asked Questions**. *See* FAQs

**Frozen ground\***, 43-44, 340, *341*, 342-  
 343, 369-374, 375, 376, 772

## G

**General Circulation Models (GCMs)**.

*See* Climate models

**Geopotential height**, 280-281, 285

**Glacial-interglacial cycles**. *See*  
 Palaeoclimate

**Glacial isostatic adjustment (GIA)\***,  
 408, 411, 417, 457

**Glaciers\***, *341*, 342, 356-360, 368, 717  
 mass balance\*, 357-359, 814-816, 844  
 monitoring, 110  
 palaeoclimate, 57, 436, *461B*  
 projections, *776B*, 814-816, 844-845  
 sea level rise and, 44, *358*, 359, 375,  
   418, *419*, 814-816, 829  
 summary, 44, 57, 339, 375, 376, 436

**'Global dimming'\***, 41, 238,  
 278-280, *279B*, 317

**Global temperature potential  
 (GTP)**, 215-216

**Global warming potentials (GWPs)\***,  
 31, *33-34*, 137, 210-216

**Greenhouse effect**, 103-106, 115-116, 696

**Greenhouse gases (GHGs)\***, 23-35, 100,  
 131, 135-153, 200-206, 512-513  
 couplings and feedbacks, 501-  
   502, 539-555, *540B*  
 lifetimes, *212-213*, 824-825  
 long-lived (LLGHGs), 31-35, 133,  
   137-153, 198, *201*, *203-204*  
 palaeoclimate, 435, 436, 440-450,  
   *446B*, 455, 459-460, 481  
 projections, *753*, 755-760,  
   789-811, 822-828

radiative forcing, 31-35, 131, 135-136,  
 153, *203-204*, *212-213*

*See also specific gases*

**Greenland ice sheet**. *See* Ice sheets

## H

**Hadley Circulation\***, 295-296, 299, 318

**Halocarbons\***, 28, 100, 135, *141*, *145*,  
 205, 214-215, 512, *513*

**Halons**, 100, 145, 207

**Heat balance**. *See* Energy balance

**Heat waves**, 40, 73, 308, *311-*  
*312B*, *314*, 783

**Heinrich events**, 455, 456

**Holocene**. *See* Palaeoclimate

**Human influence on climate**. *See* Detection  
 and attribution of climate change

**Hurricanes**, 239, 304, *305B*, 306-  
 312, *312B*, *314*, 316

projections, 750, *864*

*See also* Cyclones

**Hydrochlorofluorocarbons (HCFCs)**, 28

industrial era increase, 512, *513*

radiative forcing, 131, *141*, 145,  
 146, *205*, *207*, *212*

**Hydrofluorocarbons (HFCs)**, 100,  
*141*, 144-145, *146*, *205*

industrial era increase, 512, *513*  
 summary, 28, 131, *212*

**Hydrogen (H<sub>2</sub>)**, 215, 547, *548*

**Hydrology**. *See* Water

**Hydroxyl radical (OH)**, 131, 147-149,  
 205, 502, 550-553, 795, 796

## I

**Ice**, 44-46, 339-343, 346-369, 374-377

flow, 44-45, 342, *367B*, 368

land ice, 354, 418, 419

mass balance\*, 357-359, 374-375

pack ice, 342, 353, 355, *356*

river and lake ice, 44, 339, *341*,  
 342, 346-349, 375

sea ice (*see* Sea ice)

*See also* Glaciers; Ice caps; Ice sheets;  
 Ice shelves; Ice streams

**Ice ages\***, *56B*, 449-450, 453, 641, *776B*

**Ice-albedo feedback**, 97

**Ice caps\***, 44, *341*, 356-360, *776B*, 814-816  
 projection methods, 844-845

sea level change and, 342, *374*, 829  
 summary, 339, 375-376

**Ice cores\***, 24, 54-57, 106, 439,  
 444, *446B*, 476

**Ice nuclei**, 171, 188, 502, 555, 559

**Ice sheets\***, 341-342, 361-369, 717

Antarctic, 46, 341, 342, 361, 364-366,  
 374, 375, 376, *776-777B*,  
 816-820, 821, 830-831

causes of changes, 366-369, *367B*  
 dynamics and stability, *44B*,

46, *367B*, 845

- Greenland, 46, 70, 341, 342, 361, 363-364, 365-366, 374, 375, 376, 418, 419, 772, 776-777B, 816-820, 821, 829-830
- mass balance\*, 80, 361-366, 772, 816-817, 845
- modelling, 592, 641-642, 646-647
- palaeoclimate, 367B, 456-457, 459
- projections, 70-71, 80, 772, 776-777B, 816-820, 821, 829-831, 845
- sea level equivalents, 342, 342, 361, 374
- sea level rise and, 46, 339, 361, 366, 367B, 375, 418, 419, 457, 459
- summary, 44-46, 339, 340, 374-375
- Ice shelves\***, 341-342, 361-362, 366, 369, 717
- Larsen B Ice Shelf, 45, 317, 366, 374, 776B, 819
- projections, 776-777B, 819-820
- summary, 341-342, 374, 375
- Ice streams\***, 361, 362, 366, 367B, 368, 374
- Indian Ocean**, 400-401
- Indian Ocean Dipole (IOD), 295
- projections, 910, 911, 914
- salinity, 393, 394
- temperature, 237, 246, 295, 400-401, 420
- Insolation\***, 436, 445B, 453, 460, 462, 464, 673
- Inter-Tropical Convergence Zone (ITCZ)\***, 295, 566, 624
- Iodine compounds**, 557
- Islands, small**. *See* Climate projections
- J**
- Jet streams**, 280-281, 285
- K**
- Kyoto Protocol gases**, 28, 131, 141, 143-145, 512
- L**
- La Niña**. *See* El Niño Southern Oscillation
- Labrador Sea**, 285, 393, 396, 397B, 416-417, 776B
- Lake ice**, 44, 339, 341, 342, 346-349, 375
- Land climate system**, 504-511, 505B
- modelling, 597-599, 617-618, 646-647
- Land ice**, 354, 418, 419
- Land surface air temperature\***. *See* Temperature
- Land use change\***, 180-184, 205, 243-245, 512, 513, 526-528, 897-898B
- carbon budget, 516, 517-518, 527-528
- climate projections, 792-793
- emissions from, 518
- land cover, 30, 136-137, 180-182, 183, 509, 682-683, 792-793, 897-898B
- land water storage, 126-127, 317, 413, 418-419
- urban effects, 30, 36, 243-245, 259, 506B
- Last Glacial Maximum (LGM)\***, 58, 435, 447-451, 673, 679-680, 725, 798-799B
- Latent heat**, 97, 393, 399
- Likelihood\***. *See* Uncertainties
- LOSU (level of scientific understanding)\***, 22B, 201-202
- Low-pass filters**, 336
- M**
- Madden-Julian Oscillation (MJO)**, 592, 601, 625
- 'Medieval Warm Period'**\*, 466, 468-469B
- Mediterranean Sea**, 399
- Meridional heat transport (MHT)**, 394, 429-430
- Meridional Overturning Circulation (MOC)\***, 48, 111, 395-397, 397B, 421, 514, 707
- modelling, 603-604, 615-616, 640-642
- projections, 72, 80, 752, 772-774, 775-776B, 801-802, 818, 823
- Methane (CH<sub>4</sub>)**, 27, 77-78, 100, 135, 140-143, 513
- atmospheric concentration, 24-25, 27, 131, 140-143, 146, 501-502, 511-514
- atmospheric growth rate, 135, 142-143, 502
- couplings and feedbacks, 77-78, 539-544
- modelling, 642
- palaeoclimate, 435, 444, 447, 448, 455, 459-460
- permafrost, 642
- projections, 502, 793-795, 796
- radiative forcing, 25, 27, 131, 140-143, 205, 207, 212, 214
- Methane hydrate**, 642
- Methyl chloroform (CH<sub>3</sub>CCl<sub>3</sub>)**, 141, 145-146, 147-149, 212
- Methylene chloride (CH<sub>2</sub>Cl<sub>2</sub>)**, 141, 145, 213
- Microwave Sounding Unit**. *See* MSU (Microwave Sounding Unit)
- Mid-latitude circulation**, 780-782
- Mid-latitude storms**, 751
- See also* Cyclones, extratropical
- Milankovitch cycles**, 56B, 445B, 449
- Mineral dust aerosol**, 29, 132, 167-168, 204-205
- Mitigation**, 753, 827-828
- Models**. *See* Climate models
- Monsoons\***, 295-299, 318, 711, 716
- modelling, 626
- palaeoclimate, 435, 462-463, 464, 482
- projections, 751, 778-779, 780
- Montreal Protocol gases**, 28, 131, 141, 145-146, 512
- Mountain regions**, 886B
- MSU (Microwave Sounding Unit)\***, 36, 237, 266, 267-268
- Mt. Pinatubo**, 98, 109, 142, 193-194, 723
- Multi-model data set (MMD)**, 597-599, 753-754, 858-860B
- N**
- Natural climate forcing**. *See* Radiative forcing
- New Zealand**. *See* Climate projections
- Nitrate aerosol**, 132, 167, 204-205
- Nitric oxides (NO<sub>x</sub>)**, 214, 215, 544-546, 793-795
- Nitrogen compounds**, 502, 544-546, 547
- Nitrous oxide (N<sub>2</sub>O)**, 100, 105-106, 115, 135, 143-144, 513
- atmospheric concentration, 24-25, 27, 131, 141, 143-144, 146, 544
- couplings and feedbacks, 544-546, 547
- global budget, 544-546
- palaeoclimate, 444, 447, 448, 455, 460
- radiative forcing, 25, 27, 131, 141, 205, 212, 214
- Non-methane volatile organic compounds (NMVOCs)**, 214, 215, 549
- Nordic Seas**, 396-398
- North America**. *See* Climate projections
- North Atlantic Deep Water (NADW)**, 395, 396-398, 421, 437, 456, 642
- North Atlantic Ocean**, 394-399, 395, 397B, 402, 413, 482
- North Atlantic Oscillation (NAO)\***, 290-292, 395-399, 402, 408
- changes, 238-239, 248, 290-292, 709-710
- modelling, 620
- past variability, 482
- projections, 777B, 780-781, 806
- summary, 38, 39B, 238-239
- teleconnections, 286, 290-292, 295
- North Pacific Index (NPI)**, 287B, 289, 290
- Northern Annular Mode (NAM)\***, 248, 287B, 389, 397, 709-710
- modelling, 620-621
- projections, 780-782
- summary, 38, 39B, 238-239
- teleconnections, 290-292, 295
- O**
- Ocean-climate couplings**, 501, 503, 519, 521-523, 528-533, 529B
- Ocean precipitation**, 259-260
- Ocean processes, modelling**, 535-538, 597-599, 603-604, 613-616, 622-623, 646-647
- Oceanic climate change, 385-433**, 705-707, 731
- acidification\*, 77, 387, 403, 405-406, 408, 529B, 531, 750, 793, 794-795
- air-sea fluxes, 283-285, 393-394, 403, 408
- biogeochemistry, 48, 387, 389, 403-408, 503

- biological activity (productivity), 408  
carbon/carbon dioxide, 387, 403-406, 408, 420, 793  
circulation, 48, 111-112, 387, 394-402, 397B, 417, 420  
coupled ocean-atmospheric dynamics, 111-112, 286-295, 318  
decadal variability, 389, 412-413  
density, 414-416, 812-814  
heat content, 47-48, 387, 389, 390-393, 420, 705-706  
heat transports, 393-394, 429-430  
nutrients, 406-407  
oxygen, 48, 403, 406, 407, 408, 430  
projections, 750-751, 765, 793, 794-795, 801, 812-822, 822  
salinity, 48, 49, 318, 387, 389-390, 393, 394-402  
salinity measurement, 390, 420, 429  
sea level, 48-50, 51B, 387, 408-421, 431, 432, 707-708, 750-751, 812-822  
summary, 47-51, 84, 387-388, 420-421  
techniques, error estimation and measurement systems, 429-432  
temperature, 61, 62, 387, 389-393, 394-402, 420  
temperature measurement, 389-390, 429, 430  
thermal expansion\*, 387, 408, 412-413, 414-417, 419-420, 801, 812, 820-821  
water masses, 387, 394-402, 417-419, 706-707  
*See also specific oceans*
- OH.** *See* Hydroxyl radical (OH)
- Optimal fingerprinting**, 744
- Orbital forcing**, 56B, 437, 445B, 453, 462-463
- Oxygen (O<sub>2</sub>)**  
atmospheric, 139  
dissolved in oceans, 48, 403, 406, 407, 408, 430
- Ozone\***, 115, 135, 149-152, 540B, 547-550  
global budgets, 547-549  
precursors, 547-550, 795  
projections, 554, 759-760, 793-796  
radiative forcing, 28, 132, 149-152, 203-204, 759  
stratospheric, 28, 73, 149-150, 198, 201, 203-205, 553-555  
tropospheric, 28, 108-110, 150-152, 201, 203-205, 513, 547-550
- P**
- Pacific Decadal Oscillation (PDO)**, 246, 289-290, 295, 389, 408, 709  
index, 287B  
modelling, 621  
summary, 38, 39B, 238
- Pacific Decadal Variability\***, 289-290, 621
- Pacific-North American (PNA) pattern\***, 286, 286, 287B, 288-289, 295  
modelling, 622  
summary, 38-40, 39B
- Pacific Ocean**, 399-400  
cyclones, 306, 307  
projections, 399-400, 910-911, 915  
salinity, 387, 394-395, 399-400, 402, 420  
sea level change, 413-414, 420  
temperature, 237, 247, 399-400, 402, 420
- Pacific-South American (PSA) pattern**, 288-289, 295
- Palaeoclimate\***, 54-58, 85, 106-107, 433-497, 679-683  
attribution studies, 64, 446B, 460  
current interglacial (Holocene), 57, 435-436, 453-454, 459-464, 461B, 679-680  
glacial-interglacial variability, 435, 444-459  
ice sheets, 367B, 456-457, 459  
last 2,000 years, 436, 466-483, 468-469B  
Last Glacial Maximum (LGM)\*, 58, 435, 447-451, 673, 679-680, 725, 798-799B  
Last Interglaciation (LIG), 453, 454, 458-459  
‘Medieval Warm Period’\*, 466, 468-469B  
methods, 438-440  
modelling, 435, 436-437, 439-440, 476-481  
orbital forcing, 437, 445B, 453, 462-463  
pre-quaternary climates, 440-444, 441  
sea level, 58, 435, 457-459  
uncertainties, 483
- Perfluorocarbons (PFCs)**, 28, 100, 131, 141, 144, 145, 207, 212-213
- Permafrost\***, 341, 342-343, 369-372, 373, 376  
permafrost-climate feedback, 110  
projections, 772  
summary, 43-44, 317, 339, 375
- pH\* of oceans**, 77, 387, 403, 405-406, 408, 529B, 531  
projections, 750, 793, 794-795
- Photosynthesis\***, 186, 514, 527
- Plankton\***, 439, 504, 514, 529B, 567
- Plant physiology**, 185-186
- Pleistocene\***, 447, 457
- PNA.** *See* Pacific-North American (PNA) pattern
- Polar regions.** *See* Climate projections
- Pollen analysis\***, 439, 455, 471
- Pre-quaternary climates\***, 440-444, 441
- Precipitation**, 254-265, 712-716, 731-732  
aerosol effects, 254, 502, 560, 563, 564  
couplings and feedbacks, 507, 508, 509-510  
extreme events, 41, 301-303, 308, 314-315, 316, 714, 750, 782-784, 785, 863  
modelling, 611-612, 628  
monsoons (*see* Monsoons)  
projections, 74, 75-77, 750, 762-763, 768-770, 782-784, 785, 806, 849-851, 854-857, 859B, 863  
regional (*see* Climate projections)  
summary, 41-43, 53-54, 238, 317-318
- Predictions.** *See* Climate predictions
- Pressure.** *See* Sea level pressure
- Probability density functions (PDFs)\***, 65, 719-721, 724-725, 798-799B, 808-809, 923-924
- Projections.** *See* Climate projections
- Proxy methods\***, 438-439, 466-475, 481
- PRUDENCE project**, 873B, 925
- Q**
- Quasi-Biennial Oscillation (QBO)**, 266, 283, 625-626
- R**
- Radiation**, 277-280, 279B, 317  
couplings and feedbacks, 502, 505B, 508, 563-564, 565, 631  
modelling, 610-611, 631
- Radiative forcing (RF)\***, 108-110, 129-234  
aerosols, 29-30, 131-132, 153-180, 559  
calculation methodologies, 134, 196-197, 199  
chemically and radiatively important gases, 24-28, 131, 137-153  
climate response, 64-66, 670-679  
concept, 133-137, 136-137B, 826  
contrails and aircraft-induced cloudiness, 132, 186-188  
defined, 133  
efficacies\*, 197-199, 212-213  
external\*, 96, 133-134, 152, 667  
future impact of current emissions, 77, 206-207  
global mean, 31-35, 132, 200-206  
global warming potentials and emission metrics, 31, 33-34, 137, 210-216  
modelling, 173-180, 594-596, 607-608, 629-633, 643, 671-673  
natural forcings, 96, 137, 188-195, 445B, 666  
orbital forcing, 56B, 437, 445B, 453, 462-463  
palaeoclimate, 438-439, 444-454, 445B, 476-481  
projections, 752, 755-760, 795, 797  
spatial and temporal patterns, 35, 132, 196, 209-210, 674-678  
summary, 24-35, 131-132, 199-210  
surface albedo and surface energy budget, 132, 180-186, 201, 203-205  
surface forcing, 35, 133, 153, 170, 196, 208-210  
time evolution, 208-209

- uncertainties, 199-200, 201-202  
 utility of, 195-199  
 vertical forcing, 196  
*See also specific gases and components*
- Radiosondes**, 36, 82, 265-267, 719
- Rapid climate change**. *See* Abrupt climate change
- Regional changes**  
 ocean circulation and water masses, 394-402  
 projections (*see* Climate projections)  
 sea level, 413-414
- Revelle factor**, 531
- River and lake ice**, 44, 339, 341, 342, 346-349, 375
- River flow (streamflow)**, 261-264
- River ice**, 44, 339, 341, 342, 346-349, 375
- S**
- Salinity (of oceans)**, 48, 49, 318, 387, 393, 394-402, 420, 421  
 measurement, 390, 420, 429  
 modelling, 613-615  
 sea level/ocean mass and, 416-417, 417-418
- Satellite methods**  
 altimetry, 49, 408, 410, 411-412, 411, 431  
 Microwave Sounding Unit (MSU), 36, 237, 266, 267-268
- Scenarios**. *See* Climate scenarios; SRES scenarios
- Science, climate**. *See* Climate change science
- Scientific method**, 95
- Scientific understanding**. *See* LOSU (level of scientific understanding)
- Sea ice\***, 341, 342, 350-356, 376, 716  
 Antarctic, 342, 351, 352, 353, 355  
 Arctic, 44, 45, 60, 317, 339, 342, 351-356, 716, 776B, 851  
 feedbacks, 639  
 modelling, 592, 597-599, 606-607, 616-617, 639, 646-647  
 projections, 770, 771, 776B  
 summary, 317, 339, 374, 375
- Sea level**, 48-50, 51B, 408-421  
 attribution for changes, 60-61  
 budget (global mean sea level change), 48-50, 419-420, 457  
 change in 20th century (rise), 317, 389, 410-414, 415, 418-419, 420, 707-708  
 change in previous millenia, 58, 409, 435, 457-459  
 changes projected (*see* projections, below)  
 commitment, 68, 80, 752, 822, 828-831  
 contributions to, 44-46, 50, 60-61, 366, 374, 375, 408, 413, 414-420, 751, 812-822  
 estimation/measurement techniques, 408, 410-412, 431, 432  
 extremes, 50, 414, 916-917B  
 interannual/decadal variability, 410, 412-414, 707-708  
 long-term changes, 412-413  
 methods of projections, 844-845  
 palaeoclimate, 58, 409, 435, 457-459  
 projections, 68, 70-71, 73, 90, 409, 750-751, 812-822, 823, 909, 914-915, 916-917B  
 relative (RSL)\*, 413, 457-458  
 sea level equivalents (SLEs)\*, 340, 342, 361, 374  
 summary, 48-50, 51B, 52-53, 84, 90, 374-375, 387, 420-421
- Sea level pressure (SLP)**, 63, 280, 711  
 projections, 73, 751, 770, 780-781
- Sea salt**, 556
- Sea surface temperature (SST)\***, 101, 102, 245-247, 312B, 391  
 palaeoclimate, 451, 460  
 projections, 73, 786-788, 861  
 rates of warming, 318  
 summary, 51, 64, 237, 318  
 tropical cyclones and, 239
- Severe weather**. *See* Extreme events
- Snow, ice and frozen ground**, 337-383, 716-717  
 area, volume, and sea level equivalents, 342, 374  
 frozen ground, 340, 341, 342-343, 369-374, 376  
 glaciers and ice caps, 339, 341, 342, 356-360, 374, 375, 376, 717  
 ice sheets and ice shelves, 339-341, 342, 361-369, 367B, 374-375, 376, 717  
 modelling, 592, 593, 599-601, 606-607, 616-617, 617  
 projections, 70-71, 73, 80, 750, 770-772, 776B, 814-816, 859B, 861  
 regional projections (*see* Climate projections)  
 river and lake ice, 339, 341, 342, 346-349, 375  
 sea ice, 341, 342, 350-356, 374, 375, 376, 716  
 snow albedo, 30, 132, 184-185, 205, 343, 638-639, 640  
 snow cover, 317, 341, 342, 343-346, 375, 376-377, 593, 716-717  
 snowfall, 258-259  
 summary, 43-46, 83, 339-340, 374-375
- Soil moisture\***, 260-265, 509, 510, 605-606, 769, 770
- Solar forcing**, 30-31, 476-478, 479
- Solar irradiance**, 30-31, 681-682  
 'global dimming\*', 238, 278-280, 317  
 palaeoclimate, 476-478, 479  
 total (TSI), 30, 107-108, 132, 188-189, 190, 198, 201, 203-205
- Solar variability**, 107-108, 188-193
- Soot\***, 30, 172-173, 184, 559  
*See also* Black carbon
- South Atlantic Convergence Zone (SACZ)**, 295
- South Pacific Convergence Zone (SPCZ)**, 295
- Southern Annular Mode (SAM)\***, 287B, 292-293, 295, 389, 710-711  
 modelling, 620-621  
 projections, 782  
 summary, 38, 39B, 238-239
- Southern Ocean**, 387, 401-402, 420  
 modelling, 591, 592, 616
- Southern Oscillation**. *See* El Niño Southern Oscillation
- Southern Oscillation Index (SOI)**, 287B
- SRES scenarios\***, 24-31, 761, 802, 806, 822-827, 852-861, 858-860B  
 sea level rise, 68, 70-71, 409, 419, 750-751, 820-822  
 subset for projections, 753, 761  
 surface warming, 68-73, 74-77, 79
- Storm tracks\***, 281-282, 285, 305B, 318
- Stratosphere\***, 265-266, 283  
 aerosols, 132  
 ozone, 28, 73, 149-150, 198, 201, 203-205, 553-555  
 stratosphere-troposphere exchange (STE), 795-796  
 stratospheric-tropospheric relations, 284B, 795-796  
 temperature, 36, 62, 237-238, 265-271, 285  
 water vapour, 274-275
- Streamflow**. *See* River flow
- Sulphate aerosols**, 160-161, 193, 194  
 couplings and feedbacks, 78-79, 502, 566-567  
 palaeoclimate, 436, 478, 480  
 radiative forcing, 31, 108-110, 160-161, 162, 204-205  
 summary, 31, 132
- Sulphur hexafluoride (SF<sub>6</sub>)**, 141, 144, 145, 146, 207  
 summary, 28, 131, 212
- Sunspots\***, 107, 108, 189, 191, 476
- Surface climate change**, 82, 235-336  
 extreme events, 237, 299-316  
 modelling, 604-606, 646-647  
 precipitation, drought and surface hydrology, 238, 254-265, 301-303, 308, 317, 318  
 surface fluxes, 283-285, 393-394, 403, 408  
 temperature, 237, 239, 241-253, 300-301, 308-309, 317, 318  
 tropics, subtropics, and monsoons, 295-299, 304-315  
*See also* Atmospheric climate change
- Surface/surface air temperature\***. *See* Temperature

## T

**Teleconnections\***, 38-40, 238, 281, 286-295, 287B

**Temperature**, 100-102, 241-253, 683-705

attribution of changes, 58-63

continental temperature change, 61, 62-63, 74-76, 693-698, 852-862

diurnal temperature range (DTR)\*, 36, 237, 243-244, 251, 766-768, 786

extremes, 40, 237, 300-301, 302, 308-309, 311-312B, 314-315, 627-628, 698-699, 750, 785-786, 787, 862

free atmosphere, 699-701

global ground surface temperature (GST), 474

global mean surface temperature, 36, 37, 62, 237, 247-248, 249, 252-253, 318, 683-693, 703, 749

global temperature potential, 215-216

global warming potentials, 31, 33-34, 137, 210-216

industrial era change, 683-705, 727, 729-730

last 2,000 years, 435-436, 466-483, 468-469B

measurement, 100-102, 102, 389-390, 429, 430

modelling, 600, 608-610, 613-615, 627-628

nighttime marine air temperature (NMAT), 243

oceans, 60, 61, 387, 389-393, 394-402, 420

palaeoclimate, 435-436, 440-457, 449-450B, 460-476, 462, 467-470, 475, 477, 478-481

projections, 69-72, 74-76, 762, 763, 764-766

relationship with precipitation, 264-265

sea surface temperature (SST), 42, 51, 64, 73, 101, 102, 237, 245-247, 312B, 318, 391

spatial distribution of changes, 37-40, 62-63, 250-251

spatial trend patterns, 250-251

summary, 36-40, 51-52, 60-61, 237, 239, 317-318

surface\*, 61, 62-63, 100-102, 237, 239, 241-253, 317, 318, 683-693

surface air temperature (SAT), 51-52, 339, 474, 749, 845

upper air, 237, 265-271

*See also* Temperature projections

**Temperature projections**, 762, 763, 764-766, 785-786, 787, 806, 807-811

commitment, climate change, 79, 752, 822-828

extremes, 862

global temperature at year 2100, 809-810, 858B

long-term projections, 822-828

regional projections, summarized, 21-23, 854-857, 858-859B

summary, 66, 69-72, 74-75, 749-750

*See also* Climate projections

**Terrestrial biosphere\***, 504-505, 527-528, 606, 646-647

**Terrestrial ecosystems**, 503, 520

**Terrestrial processes, modelling**, 604-606

**Thermal expansion\***, 387, 408, 412-413, 414-417, 419-420

projections, 801, 812, 820-821, 823, 828-829

**Thermohaline Circulation (THC)\***, 246-247

*See also* Meridional Overturning Circulation

**Thresholds**, 640-643

**Tide gauges\***, 48-49, 408, 410, 411-412, 431, 432

**Tipping point**, 775B

**Top-of-atmosphere (TOA) radiation**, 277-278, 317

**Total solar irradiance (TSI)\***, 107-108, 188-189, 190, 198, 202-205

summary, 30, 132

**Transient climate response (TCR)**, 691, 718, 723, 724, 725, 754, 798B, 800-801, 807

summary, 66, 88

**Tree rings\***, 438, 439, 459, 471, 472-473, 475, 476

**Tropics**, 295-299

climate projections, 751, 779, 786-788, 864, 915

tropical cyclones, 41-43, 239, 304-307, 305B, 314, 316, 711-712, 751, 786-788, 864, 915

tropical storms, 239, 304-312, 314-315, 316

**Tropopause\***, 266, 270, 699-700

**Troposphere\***, 265-267, 266, 730

nitrous oxide (N<sub>2</sub>O), 545, 547

ozone, 28, 108-110, 150-152, 201, 203-205, 513, 547-550

stratospheric-tropospheric relations, 284B, 795-796

temperature, 36, 37, 62, 237, 253, 265-271, 268-269

water vapour, 40, 238, 272-274, 318, 632B

**Twomey effect**. *See* Cloud albedo effect, under Clouds

**Typhoons**. *See* Cyclones, tropical

**U**

**Uncertainties\***, 22-23B, 81-91, 119-121, 669

quantification, 921-925

**Urban effects on climate**, 30, 36, 243-245, 259, 506B

*See also* Land use change

**Urban heat islands\***, 102, 185, 237, 243-245

**Urban precipitation patterns**, 259

## V

**Vegetation**, 505B, 507, 508-510, 566

modelling, 509-510

projections, 777B, 789-793

**Volatile organic compounds (VOCs)**, 78, 150, 206, 207, 214, 547-549, 556-557, 796

**Volcanic eruptions**, 31, 96-97, 137, 193-195, 201, 681-682

modelling, 641, 723

Mt. Pinatubo, 98, 109, 142, 193-194, 723

projections, 797

volcanic forcing, 459, 477, 478, 479, 673, 678, 731

## W

**Walker Circulation\***, 112, 295-296, 299, 318

**Warming**. *See* Temperature

**Water**, 40-43

land water storage, 318, 418-419

projections, 768-770, 860-861

surface hydrology, 35, 64, 254, 260-265, 261B, 618, 768-770, 886B

surface water balance, 505B

**Water vapour**, 115, 135, 152, 185, 271-275, 712

feedback, 593, 630-633, 632B

modelling, 593, 630-633

projections, 796, 860-861

radiative forcing, 28, 131, 152, 185, 201-204

stratospheric, 274-275

summary, 28, 40, 53-54, 131, 135, 238, 318

surface, 238, 272-274, 318

tropospheric, 40, 238, 272-274, 318

water vapour-lapse rate feedback, 633-635, 640

**Waves, ocean**, 283-285, 799, 806

**Winds**, 38, 159, 280-281, 283-285, 864, 877-878, 902

mid-latitude westerlies, 238-239, 280, 283, 290

*See also* Cyclones

## Y

**Younger Dryas\***, 455, 456